



FPR-2/6X FIBER OPTIC PANEL (2RU)

Product Description

The TXM FPR Series is a family of rack-mounted fiber distribution enclosures that provides splicing and patching of fiber optic terminations using industry-standard LGX adapter plates or MPO/MTP cassettes. Panels can be ordered empty or pre-configured to your specifications. All FPR panels feature front- and rear-latching doors and slide-out trays with stops to prevent stress on delicate fibers. Reversible rack ears allow mounting in either 19- or 23-inch racks.

The TXM FPR-2/6X is a Two-Rack Unit (2RU) panel that accommodates six standard LGX adapter plates (sold separately or pre-configured). It features front Plexiglas and rear metal doors to allow easy access.

General Specifications

Dimensions: 3.5"(h)x17.0"(w)x13.25"(d) / 8.89cm(h)x43.18cm(w)x33.65cm(d)

Material: 16 Gauge Powder Coated Steel

Coating: Electrostatic polyester powder coat paint, available in black

Capacity:

- The unit can support patching and splicing
- Terminations: (Six) TXM Adapter Plates (see individual plate capacities)
- Splices: Up to 48 single fused fiber splices using 2 FP-SPLC-TRAY-02B splice trays



Product Ordering Information

- Model Number: FPR-2/6X (Unloaded Standard Black Panel)
- Loaded and unloaded adapter plates sold separately

